An Annotated Checklist of Higher Plants in Ayer Hitam Forest Reserve, Puchong, Selangor

I. FARIDAH HANUM¹, A. Z. IBRAHIM², SHAMSUL KHAMIS³, M. NAZRE¹, P. LEPUN¹, G. RUSEA⁴, J. J. LAJUNI⁵ & A. LATIFF⁵

¹Faculty of Forestry, Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia ²School of Environmental and Natural Resource Sciences, Faculty of Science and Technology Universiti Kebangsaan Malaysia, 43600 Bangi Selangor, Malaysia

³Institute of Bioscience, Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia ⁴Department of Biology, Faculty of Science and Environment Studies, Universiti Putra Malaysia 43400 UPM Serdang, Selangor, Malaysia

⁵Institute for Environment and Development, Universiti Kebangsaan Malaysia 43600 Bangi, Selangor, Malaysia

Keywords: Annotated checklist, higher plants, Ayer Hitam Forest Reserve

ABSTRAK

Hutan Simpan Ayer Hitam ialah suatu hutan subjenis Kelat-Kedondong bagi hutan tanah rendah dipterokarpa yang terletak di Lembah Klang yang kini sedang mengalami suatu pembangunan sosio-ekonomi dan fizikal amat pesat. Hutan ini telah beberapa kali dibalak dalam 60 tahun yang lalu dan kini beberapa ceruk vegetasinya sedang menuju ke arah klimaks semula. Ekspedisi ini yang telah dijalankan pada 2-5 Mei 2000. merangkumi beberapa ahli botani yang telah memerhati dan mengutip spesimen tumbuhan. Enumerasi yang diberikan di sini adalah berdasarkan kepada spesimen yang dikutip semasa ekspedisi, mencakupi 262 spesies tumbuhan vaskular yang tergolong dalam 142 genus dan 56 famili. Famili Myrtaceae, dengan 22 spesies adalah famili yang terbesar di dalam senarai, diikuti oleh Euphorbiaceae, Dipterocarpaceae dan Annonaceae, masingmasing dengan 21, 17 dan 14 spesies. Spesies genus Knema adalah yang terbesar dengan 13 spesies dan diikuti oleh Memecylon Syzygium dan Diospyros, masing-masing dengan 9, 7 dan 7 spesies.

ABSTRACT

Ayer Hitam Forest Reserve is a Kelat-Kedondong subtype of the lowland dipterocarp forest situated in the Klang Valley which is currently undergoing a tremedous pace of socio-economic and physical development. The forest had been logged many times in the last 60 years or so and most vegetation niches are beginning to recover to their climax again. Our expedition, from 2-5 May 2000 involved a few botanists who observed and collected specimens of higher plants. The enumeration provided here is based only on the specimens collected during the expedition, includes 262 species of vascular plants belonging to 142 genera and 56 families. The Myrtaceae, with 22 species is the largest family in the checklist, followed by Euphorbiaceae, Dipterocarpaceae and Annonaceae with 21, 17 and 14 species, respectively. Species-wise the genus Knema, is the largest with 13 species, followed by Memecylon, Syzygium and Diospyros with 9, 7, and 7 species, respectively.

INTRODUCTION

The Ayer Hitam Forest Reserve, Puchong, Selangor covers an area of about, 3,500 ha prior to lease to Universiti Putra Malaysia in 1996. The Selangor State Government on 7th October 1996 leased this patch of the remaining lowland forest in the Klang Valley with 6 compartments, namely Compartments 1, 2, 12, 13, 14 and 15 to

the University for 80 years for the purpose of education and research. In the past 10 years the University had used the forests for various educational purposes including industrial training of their forestry students and also research in biodiversity and environment by students and staffs from various faculties. The faculty members also were active in various

research projects in the forest. The size of this forest is now reduced by about 64% to 1,248 ha, after it was further excised for some socioecomonic development projects such as housing estates, oil palm plantation, new townships, factories, and highways, among others. In the present survey, this forest is classified as a disturbed Kelat-Kedondong-Mixed Dipterocarp type of lowland forest type (Faridah Hanum, 1999). Mat-Salleh (1999) has shown the role and function of a similar forest at Universiti Kebangsaan Malaysia that has been used by students and staff for similar purposes. The Ayer Hitam FR is located at 3° 00.00' N to 3° 02.20' N and 101° 37.90' E to 101° 40.00' E, approximately 20 km southwest of Kuala Lumpur.

Currently, this forest is thus completely surrounded by developed and developing areas, making it an "island forest" isolated in the middle of modern infrastructures and urban society. Being strategically located within the Multimedia Super Corridor, that connects the commercial city of Kuala Lumpur with the new administrative city of Putrajaya and business city of Cyberjaya, it is the only remaining lowland forest found in the Klang Valley, other than the smaller Bukit Nenas Forest Reserve in the heart of Kuala Lumpur. Historically, this forest was selectively logged several times from 1936 to 1966 and the impoverished diversity has begun to recover quite well (Mohamad Zakaria and Abdul Rahim 1999; Mohamad Zakaria and Rahmat Topani 1999). Formerly, the area was occupied by one of the remaining group of indigenous people, the Temuan tribe, but now moved to other more-disurbed areas of the forest (Faridah Hanum and Nurulhuda Hamzah 1999). This forest is also readily accesible by all kind of vehicles up to the base camp.

Logging activities were carried out in compartments 12 and 13 from 1936 until 1966. In those 30 years, these compartments were logged three times using Comercial Regeneration Felling system in 1936-1943 and 1965-1966, and Selective Felling in 1946-1954 (Faridah Hanum 1999). However, in 1990 silvicultural treatment has been carried out in these compartments.

CHECKLIST OF HIGHER PLANTS IN AYER HITAM FOREST RESERVE

The checklist produced below is the result of botanical observation and collection done during the Scientific Expedition. It is arranged alphabetically by families, each family is followed by the species known, according to Turner (1995). Where possible local name(s) is included with brief notes on habit and distribution.

Gymnosperms

- 1.0 Podocarpaceae
- 1.1 Podocarpus neriifolius D. Don
 Podo Bukit
 Tree to 20 m tall; normally confined to
 hill and montane forests; its occurrence
 in this forest is botanically very interesting.
 Probably it is introduced from the hill
 forest or an escape from cultivation.
- 2.0 Gnetaceae
- 2.1 Gnetum cuspidatum Blume

 Large liana; commonly found in the lowland and hill forests; widespread.

Angiosperms - Dicotyledons

- 1.0 Acanthaceae
- Acanthus volubilis Wall.
 Trailing shrub which is commonly found scattered in the surveyed area.
- 1.2 Asystasia gangetica (L.) T. Anderson
 Rumput Israel
 Creeping herbs; normally found in waste
 and idle areas, sometimes in cultivated
 areas too; could be considered a noxious
 weed which is believed to be introduced
 from India and now beginning to be
 naturalized in the country.
- 2.0 Alangiaceae
- 2.1 Alangium ebenaceum (C.B. Clarke) Harms var. ebenaceum Mentulang Daun Bujur Tree to 10 m tall; commonly found in lowland forest.
- 3.0 Anacardiaceae
- 3.1 Bouea macrophylla Griff. Kundang Tree reaching up to 20 m, produce edible fruits; quite common in lowland and hill forest.
- 3.2 Bouea oppositifolia (Roxb.) Meisn. Kundang Tikus, Rumia Tree reaching to 20 m tall, also bears edible fruits; lowland forest up to 700 m altitude; widespread.
- 3.3 Buchanania sessifolia Blume
 Rengas Air
 Small to medium tree; lowland forest to
 700 m; throughout.

3.4 Gluta malayana (Corner) Ding Hou Rengas Kerbau Jalang Tree to 30 m tall; lowland forest, including swampy areas; quite widespread.

3.5 Mangifera magnifica Kochummen Macang Hutan Big tree reaching 30 m tall; lowland forest to 700 m altitude; widespread and apparently quite common in Pasoh Forest Reserve.

3.6 Mangifera quadrifida Jack Macang hutan Tree to 30 m tall; lowland rain forest to 900 m altitude; widespread.

3.7 Melanochyla angustifolia Hook.f. Rengas Tree to 20 m tall; lowland forest to 600 m altitude; widespread.

3.8 Melanochyla fulvinervis (Blume) Ding Hou Rengas Padi Kulit Hitam Tree to 20 m tall; lowland forest, occasionally in the hills up to 1350 m altitude; widespread.

3.9 Parishia paucijuga Engl. Rengas Tree to 30 m tall; lowland and hill forest to 400 m altitude; widespread.

4.0 Annonaceae

4.1 Alphonsea curtisii King
Mempisang
Medium tree reaching 20 m tall; lowland
forest; an element of the northern part of
Peninsular Malaysia but recorded for the
first time in Selangor.

4.2 Alphonsea cylindrica King Mempisang Tree to 10 m tall; lowland forest; not widespread.

4.3 Alphonsea lucida King
Mempisang
Shrub to 3 m tall; lowland forest; endemic
to Peninsular Malaysia.

4.4 Fissistigma kingii (Boerl.) Burkill Mempisang Large liana; lowland forest; quite widespread.

4.5 Fissistigma lanuginosum (Hook.f. & Thomson) Merr.

Mempisang
Liana; lowland forest; widespread.

4.6 Monocarpia marginalis (Scheff.) J. Sinclair Mempisang Large tree reaching to 30 m tall; produce good timber; rather common in lowland forest; widespread.

4.7 Phaeathus ophthalmicus (Roxb. ex G.Don) J. Sinclair
Mempisang
Small shrub; lowland forest; widespread.

4.8 Polyalthia cauliflora Hook.f. & Thomson var. cauliflora
Mempisang
Shrub or small tree; lowland forest; quite widespread.

4.9 Polyalthia motleyana (Hook.f.) Airy Shaw var. oblonga (King) J. Sinclair Mempisang Small tree to 4 m tall; lowland to lower montane forest.

4.10 Polyalthia rumphii (Blume) Merr. Mempisang Tree to 15 m tall; lowland and hill forest; widespread.

4.11 Polyalthia sumatrana (Miq.) Kurz Mempisang Tree to 20 m tall; lowland and hill forest; widespread.

4.12 Popowia fusca King
Mempisang
Tree to 10 m tall; lowland forest; endemic
to Peninsular Malaysia with restricted
distribution.

4.13 Xylopia densifolia Hook.f. Mempisang

4.14 Xylopia ferruginea (Hook.f. & Thomson)
Hook.f. & Thomson var. ferruginea
Jangkang Bukit
Tree to 20 m tall; lowland forest;
widespread.

5.0 Apocynaceae

5.1 Dyera costulata (Miq.) Hook. f.
Jelutong
Huge lactiferous tree reaching 40 m;
lowland forests; has been reported
gregariously growing in Kuala Langat
South peatswamp forest; widespread.

6.0 Aristolochiaceae

6.1 Thottea corymbosa (Griff.) Ding Hou Hempedu beruang Shrub to 2 m tall; lowland and hill forest; widespread.

6.2 Thottea grandiflora Rottb.

Hempedu beruang

Shrub to 2 m tall; lowland and hill forest to 600 m; widespread.

I. FARIDAH HANUM, A.Z. IBRAHIM, SHAMSUL KHAMIS, M. NAZRE, P. LEPUN, G. RUSEA, J. J. LAJUNI & A. LATIFF

- 7.0 Celastraceae
- 7.1 Bhesa paniculata Arn.
 Biku-Biku
 Tree to 20 m tall; lowland and montane forest to 1300 m; widespread.
- 7.2 Euonymus javanicus Blume Tree to 20 m tall; lowland and hill forest to 400m; widespread.
- 8.0 Chrysobalanaceae
- 8.1 Atuna nannodes (Kosterm.) Kosterm. Geranam

 Tree to 20 m tall; lowland and hill forest to 750 m altitude; widespread.
- 8.2 Licania splendens (Korth.) Prance Membatu Tree to 10 m tall; lowland forest; throughout.
- 8.3 Parinari elmeri Merr.

 Merbatu, Mempari

 Tree to 20 m tall; lowland and hill forest to 600 m altitude; an element of the south of Peninsular Malaysia.
- 9.0 Combretaceae
- 9.1 Terminalia calamansanai (Blanco) Rolfe Jelawai Mentalun Tree to 20 m tall; lowland forest; normally found in the north of Peninsular Malaysia and its occurrence in Ayer Hitam Forest Reserve is phytogeographically interesting.
- 9.2 Terminalia foetidissima Griff. Jelawai Mempelam Babi Tree to 20 m tall; lowland forest; an element of the southern part of Peninsular Malaysia.
- 9.3 Terminalia phellocarpa King Tree to 20 m tall; more commonly found in swamp or alluvial forests; widespread.
- 9.4 Terminalia subspathulata King Jelawai Jaha Large tree to 30 m tall; lowland forest.
- 10.0 Ctenolophonaceae
- 10.1 Ctenolophon parvifolius Oliv. Mertas

 Buttressed tree reaching 30 m tall; hilly forest below 300 m, also in swamps; widespread.
- 11.0 Dilleniaceae
- 11.1 Dillenia reticulata King var. reticulata Simpoh Gajah Stilt-rooted tree to 20 m tall; lowland forest, widespread; an endemic variety.
- 11.2 Dillenia sumatrana Miq. Simpoh Padang

- Tree to 20 m tall; lowland forest; quite widespread.
- 12.0 Dipterocarpaceae

Malaysia.

- 12.1 Anisoptera costata Korth. Mersawa Huge tree; lowland forest; widespread.
- 12.2 Anisoptera curtisii Dyer ex King Mersawa Kuning Large buttressed tree; lowland and hill forest to 700 m; widespread but more common in the north of Peninsular
- 12.3 Anisoptera laevis Ridley
 Mersawa Durian
 Big tree; lowland forest; widespread.
- 12.4 Dipterocarpus crinitus Dyer
 Keruing Mempelas
 Tree; lowland and hill forest to 850 m;
 widespread.
- 12.5 Dipterocarpus verrucosus Foxw. ex Slooten Keruing Merah Tree; lowland forest; more common in the south of Peninsular Malaysia.
- 12.6 Hopea beccariana Burck Merawan Batu Large buttressed tree; lowland and hill forest to 1200 m; widespread.
- 12.7 Shorea acuminata Dyer
 Meranti Rambai Daun
 Large buttressed tree to 40 m tall; lowland forest; known previously from Perak and Terengganu, hence constituting a new record for Selangor.
- 12.8 Shorea hopeifolia (F. Heim) Symington Damar Siput Jantan Very tall buttressed tree; lowland forest to 600 m; quite widespread.
- 12.9 Shorea laevis Ridley
 Balau Kumus
 Large buttressed tree; lowland and hill
 forest to 1000 m; widespread.
- 12.10 Shorea macroptera Dyer Meranti Melantai Large tree; lowland and hill forest to 900 m; widespread.
- 12.11 Shorea multiflora (Bruck) Symington Damar Hitam Small to medium sized tree; lowland and hill forest to 700 m; throughout.
- 12.12 Shorea parvifolia Dyer ssp. parvifolia
 Meranti Sarang Punai
 Large tree; common in lowland and hill
 forest to 800 m; widespread.

12.13 Vatica cinerea King
Resak Laut
Small to medium sized tree; le
hill forest to 600 m, including

Small to medium sized tree; lowland and hill forest to 600 m, including limestone hill forest; previously known from the northern states of Peninsular Malaysia including Pulau Langkawi.

12.14 Vatica cuspidata (Ridley) Symington Resak Daun Runcing Medium to large tree; lowland ridge forest often near the sea; widespread; endemic to Peninsular Malaysia.

12.15 Vatica maingayi Dyer Resak

Tree; lowland forest to 500 m; widespread.

12.16 Vatica odorata (Griff.) Symington Resak Bukit Tree; lowland forest, mostly coastal; quite widespread.

12.17 Vatica stapfiana (King) Slooten Resak Medium sized tree; lowland forest; widespread.

13.0 Ebenaceae

13.1 Diospyros adenophora Bakh. Kayu Arang Tree to 10 m tall; lowland forest, also on limestone hill forest; endemic to Peninsular Malaysia but quite widespread.

13.2 Diospyros areolata King & Gamble Kayu Arang, Merbatu Tree to 30 m tall; lowland and hill forest to 700 m; widespread.

13.3 Diospyros argentea Griff.
Kayu Arang
Tree to 10 m tall; lowland and hill forest to 800 m; endemic to Peninsular Malaysia but widespread.

13.4 Diospyros lanceifolia Roxb. Nyalin, Kayu Arang Tree to 20 m tall; lowland and hill forest to 700 m; throughout.

13.5 Diospyros maingayi (Hiern.) Bakh. Kayu Arang Tree to 30 m tall; lowland and hill forest to 600 m; widespread.

13.6 Diospyros sumatrana Miq.
Kayu Arang
Tree to 30 m tall; lowland to montane forest at 1500 m; common throughout.

13.7 Diospyros venosa Wall. ex A. DC. var. venosa Kayu Arang Tree to 20 m tall; lowland to lower montane forest at 1300 m; throughout.

14.0 Elaeocarpaceae

14.1 Elaeocarpus ferrugineus (Jack) Steud ssp. ferrugineus Mendung Tree to 20 m tall; lowland to lower montane forest at 1200 m; common throughout.

14.2 Elaeocarpus mastersii King
Mendung
Tree to 20 m tall; lowland to montane
forest at 2000 m; common throughout.

14.3 Elaeocarpus nitidus Jack var. nitidus Mendung Tree to 20 m tall; lowland to montane forest at 1500 m; common throughout.

14.4 Elaeocarpus pedunculatus Wall. ex Mast. Mendung Tree to 20 m tall; lowland and hill forest to 670 m; common throughout.

14.5 Elaeocarpus pseudopaniculatus Corner
Mendung
Tree to 10 m tall; a species which is
known from the montane forest, especially
At Fraser Hill and G. Tahan, its occurrence
in the lowland forest of Selangor is both
botanically and geographically interesting.

15.0 Euphorbiaceae

15.1 Agrostistachys longifolia (Wight) Benth. var. leptosthachya (Pax & K. Hoffm.) Whitmore Jejulung Small tree to 10 m tall; lowland to lower montane forest at 1050 m; throughout.

15.2 Antidesma cuspidatum Mull. Arg. Berunai Small tree; lowland forest; common throughout.

15.3 Aporusa microstachya (Tul.) Mull. Arg. Nipis Kulit Tree; hillsides in lowland forest to 400 m; quite widespread.

15.4 Austrobuxus nitidus Miq. var. nitidus
Tree to 20 m tall; lowland forest, including
coastal forest, swamps, mountains;
throughout.

15.5 Baccaurea maingayi Hook.f.

Tampoi

Tree to 20 m tall; hill forest; quite widespread but was not reported from Selangor before.

15.6 Baccaurea parviflora (Mull.Arg.) Mull.Arg. Asam Tambun

I. FARIDAH HANUM, A.Z. IBRAHIM, SHAMSUL KHAMIS, M. NAZRE, P. LEPUN, G. RUSEA, J. J. LAJUNI & A. LATIFF

Small tree to 5 m tall; lowland and hill forest to 600 m; widespread, more common in the north of Peninsular Malaysia.

15.7 Blumeodendron griffithii Hook.f.
Geraham Badak
Small tree, or sometimes reaching 20 m
tall; hills to plains; throughout.

15.8 Blumeodendron kurzii (Hook.f.) J.J. Smith Geraham Badak Tree to 10 m tall; lowland forest; quite widespread.

15.9 Blumeodendron tokbrai (Blume) J.J. Smith Geraham Badak Tree to 20 m, sometimes stilt-rooted; lowland forest to 450 m, often in swamps; widespread.

15.10 Bridelia stipularis (L.) Blume Kenidai Shrub or small tree; normally in open country, often near streams; scattered throughout.

15.11 Drypetes pendula Ridley
Lidah-Lidah
Tree to 20 m tall; lowland forest; common throughout.

15.12 Elateriospermum tapos Blume
Perah Ikan
Tree to 30 m tall; lowland and hill forest
to 600 m; throughout.

15.13 Endospermum diadenum (Miq.) Airy Shaw Sesenduk

Tree to 30 m tall; lowland to lower montane forest at 1000 m; common throughout.

15.14 Glochidion hypoleucum (Miq.) Boerl.
Minyak Beruk
Shrub or small tree to 5 m tall; lowland to lower montane forest at 1200 m; throughout.

15.15 Macaranga gigantea (Rchb.f. & Zoll.)
Mull.Arg.
Kubin
Tree to 15 m tall; common in disturbed

Tree to 15 m tall; common in disturbed lowland forest; throughout.

15.16 Macaranga hosei King ex Hook.f.

Mahang
Tree to 20 m tall; lowland forest; common throughout.

15.17 Macaranga hypoleuca (Rchb.f. & Zoll.) Mull.Arg. Mahang Putih Tree to 30 m tall; very common in secondary forest, especially along the forest edges; throughout.

15.18 Macaranga triloba (Blume) Mull.Arg. Mahang Merah Small tree; lowland forest including secondary growth; common throughout. Dr. T. C. Whitmore (pers. comm. 2000) said the correct name for this species is M. bancana, M. triloba as delimited is strictly a Javanese species.

15.19 Mallotus penangensis Mull.Arg.

Balik Angin

Tree to 15 m tall; lowland to lower montane forest at 1000 m; throughout; endemic to Peninsular Malaysia.

15.20 Ptychopyxis costata Miq. var. costata Mendaruh Tree to 4 m tall; lowland forest; supposedly very rare as it is previously known once from Sg. Kerian, Perak.

15.21 Sapium baccatum Roxb. Ludai Tree to 30 m tall; lowland and hill forest to 600 m; throughout.

16.0 Fagaceae

16.1 Castanopsis schefferana Hance Berangan Tree to 20 m tall; lowland forest; widespread.

16.2 Lithocarpus conocarpus (Oudem.) Render Mempening Tree to 30 m tall; lowland to montane forest at 1800 m; quite widespread.

16.3 Lithocarpus cyclophorus (Endl.) A. Camus Mempening Tree to 30 m tall; normally found in montane forest to 1800 m; widespread.

16.4 Quercus argentata Korth. Mempening Tree to 20 m tall; lowland to montane forest; quite widespread.

16.5 Quercus gemelliflora Blume Mempening Tree to 20 m tall; lowland to lower montane forest; widespread.

17.0 Flacourtiaceae

17.1 Casearia capitellata Blume Shrub or small tree to 4 m tall; lowland forest; quite widespread.

17.2 Flacourtia rukam Zoll. & Moritzi Rukam Small thorny tree; lowland forest; widespread.

- 17.3 Homalium dictyoneurum (Hance) Warb. Telur Buaya Tree to 20 m tall; lowland forest; quite widespread.
- 17.4 Homalium longifolium Benth. Bunga Gambi Tree to 30 m tall; lowland forest; widespread.
- 18.0 Guttiferae
- 18.1 Calophyllum alboramulum P.F. Stevens Bintangor Tree to 20 m tall; lowland forest; it is a rare species as it is previously known from Johore only.
- 18.2 Calophyllum dioscurii P.F. Stevens Bintangor Tree to 20 m tall; lowland forest; widespread.
- 18.3 Calophyllum rubiginosum M.R. Hend. & Wyatt-Smith Bintangor Karat Tree to 20 m tall; lowland forest; quite widespread.
- 18.4 Calophyllum tetrapterum Miq. var. tetrapterum Bintangor Kuning Daun Kecil Tree to 20 m tall; widespread.
- 18.5 Calophyllum wallichianum Planch. & Triana var. incrasstum M.R. Hend. & Wyatt-Smith Bintangor Daun Panjang
 Tree to 20 m tall; lowland forest; widespread.
- 18.6 Cratoxylum arbrescens (Vahl) Blume Geronggang Tree to 30 m tall; common in lowland swamp forest, also in the hills; widespread.
- 18.7 Cratoxylum sumatranum (Jack) Blume
 Derum
 Tree to 10 m tall; lowland forest; it is a
 rare species as it is previously known once
 each from Terengganu and Selangor.
- 18.8 Garcinia burkillii Whitmore Kandis Tree to 15 m tall; lowland to lower montane forest, 420-600 m; endemic to central part of the peninsula.
- 18.9 Garcinia cowa Roxb.
 Kandis
 Tree occasionally to 20 m tall; lowland forest mostly; widespread.
- 18.10 Garcinia malaccensis Hook.f.

 Manggis Hutan

 Tree to 20 m tall; lowland forest to 540 m: quite widespread.

- 18.11 Garcinia nigrolineata Planch. ex T: Anderson Kandis Tree; lowland forest to 600 m; common throughout.
- 18.12 Garcinia parvifolia (Miq.) Miq. Kandis Tree to 20 m tall; lowland forest to 600 m; common throughout.
- 18.13 Mesua ferrea L.

 Penaga Lilin

 Tree to 20 m tall; lowland forest to 480 m; throughout but more common in the north of Peninsular Malaysia.
- 18.14 Mesua lepidota T. Anderson var. lepidota Penaga Sabut Tree to 20 m tall; lowland forest.
- 18.15 Mesua racemosa (Planch. ex Triana) Kostermans Penaga Tikus Tree to 20 m tall; more common in lowland forest; widespread.
- 19.0 Hamamelidaceae
- 19.1 Exbucklandia populnea (R. Br. ex Griff.) R. W. Br. Geruk A species normally found in lower montane forests and its occurrence in lowland forest of Ayer Hitam is interesting.
- 20.0 Icacinaceae
- 20.1 Stenomerus malaccensis (Mast.) Sleumer Derhaka Mertua Tree to 20 m tall; lowland and hill forest to 1300 m; throughout.
- 21.0 Irvingiaceae
- 21.1 Irvingia malayana Oliv. ex Benn. Pauh Kijang Tree to 40 m tall; lowland forest; widespread.
- 22.0 Ixonanthaceae
- 22.1 Ixonanthes icosandra Jack Pagar Anak Tree to 30 m tall; found in primary and secondary forest, mostly lowlands; throughout.
- 22.2 Ixonanthes reticulata Jack Inggir Burung Tree to 30 m tall; lowland and hill forest; throughout.
- 23.0 Lauraceae
- 23.1 Actinodaphne sphaerocarpa (Blume) Nees Medang Payung Tree to 20 m tall; lowlands and it is an

I. FARIDAH HANUM, A.Z. IBRAHIM, SHAMSUL KHAMIS, M. NAZRE, P. LEPUN, G. RUSEA, J. J. LAJUNI & A. LATIFF

element of the northern part of Peninsular Malaysia.

23.2 Alseodaphne foxiana (Gamble) Kosterm. Medang Tree to 15 m tall; montane forest above 1000 m; endemic to Peninsular Malaysia and quite widespread.

23.3 Alseodaphne nigrescens (Gamble) Kosterm. Medang Small tree to 10 m tall; lowland to montane forest; widespread.

23.4 Beilschmiedia dictyoneura Kosterm. Medang Tree to 30 m tall; lowland to lower montane forest at 1000 m; widespread.

23.5 Beilschmiedia glabra Kosterm. Medang Tree to 20 m tall; lowland and hill forest to 900 m; previously known from Pahang and Johore.

23.6 Cryptocarya rugulosa Hook.f. Medang Tree to 30 m tall; lowland and hill forest; widespread.

23.7 Litsea grandis (Wall. ex Nees) Hook.f. Medang Daun Besar Tree to 20 m tall; lowland and montane forest to 1500 m; widespread.

24.0 Lecythidaceae

24.1 Barringtonia macrostachya (Jack) Kurz
Putat
Tree to 20 m tall; lowland forest, rarely in
the mountains; throughout.

25.0 Leguminosae

25.1 Adenanthera malayana Kosterm. Saga Daun Tajam Tree sometimes to 30 m tall; lowland and hill forest to 900 m; often planted in villages; widespread but scattered.

25.2 Adenanthera pavonina L.
Saga Daun Tumpul
Tree 20 m tall; lowland forest, usually near the sea; often planted in villages; wild on East Coast and offshore islands of Peninsular Malaysia.

25.3 Albizzia splendens Miq.
 Kungkur
 Tree sometimes reaching 20 m tall;
 lowland and hill forest to 700 m; scattered throughout.

25.4 Archidendron bulbalinum (Jack) I.C. Neilsen Kerdas
 Tree to 20 m tall; lowland forest, often in

secondary forest; the seeds are eaten with rice for flavour; widespread.

25.5 Archidendron clypearia (Jack) I.C. Nielsen Jering Shrub or tree to 20 m tall; more common in montane forest.

25.6 Archidendron contortum (Martelli) I.C. Neilsen Petai Belalang Shrub to small tree to 10 m tall; common in secondary forest, usually found in the beach forest; widespread.

25.7 Callerya atropurpurea (Wall.) Schot. Tulang Daing Tree to 20 m tall; open country, sometimes planted as ornamental plant; widespread.

25.8 Dialium indum L. var. indum Keranji Paya Tree to 20 m tall; scattered in lowland forest; widespread.

25.9 Dialium platysepalum Baker
Tree to 30 m tall; scattered in the lowland forest; throughout.

25.10 Intsia palembanica Miq. Merbau Large buttressed tree to 40 m tall; common in lowland forest and produce valuable timber; throughout.

25.11 Koompassia malaccensis Maing. ex Benth. Kempas Big tree to 50 m tall; common in lowland and hill forest; throughout.

25.12 Parkia singularis Miq.

Petai Meranti

Tree to 20 m tall or more; lowland and

hill forest to 500 m; widespread.

25.13 Sindora echinocalyx (Benth.) Prain

Sepetir Daun Nipis
Tree to 30 m tall or more; hill forest to 700 m; widespread.

26.0 Loganiaceae

26.1 Fagraea racemosa Jack ex Wall. Tembusu Tree; common in secondary forest, especially near the seashore; widespread.

26.2 Norrisia malaccensis Gardner
Tree to 30 m tall; lowland forest; widespread.

27.0 Melastomataceae

27.1 Memecylon amplexicaule Roxb. Nipis Kulit Tree to 15 m tall; lowland and hill forest to 1200 m; widespread. 27.2 Memecylon campanulatum C.B. Clarke Nipis Kulit Tree to 20 m tall; lowland forest; widespread.

27.3 Memecylon caeruleum Jack Nipis Kulit Shrub or small tree to 10 m tall; lowland forest; widespread.

27.4 Memecylon floridum Ridley
Nipis Kulit
Tree to 15 m tall; hill forest to 1200 m;
endemic to Peninsular Malaysia but
widespread.

27.5 Memecylon megacarpum Furtado Nipis Kulit Tree to 15 m tall; lowland to montane forest at 1800 m; widespread.

27.6 Memecylon minutiflorum Miq. Tema Tree to 25 m tall; lowland to montane forest at 1800 m; widespread.

27.7 Memecylon paniculatum Jack Nipis Kulit Tree to 30 m tall; lowland and hill forest to 1200 m; widespread.

27.8 Memecylon pubescens (C.B. Clarke) King Nipis Kulit Tree to 30 m tall; lowland and hill forest to 1200 m; widespread.

27.9 Memecylon wallichii Ridley Nipis Kulit Small tree to 5 m tall; lowland and hill forest; endemic to Peninsular Malaysia and quite widespread.

27.10 Pternandra coerulescens Jack Nipis Kulit Tree to 15 m tall; lowland and hill forest; widespread.

27.11 Pternandra echinata Jack Sial Menahun Tree to 15 m tall; lowland and hill forest to 1200 m; widespread.

28.0 Meliaceae

28.1 Aglaia edulis (Roxb.) Wall. Pasak Tree to 20 m tall; lowland and hill forest; quite widespread.

28.2 Chisocheton patens Blume
Memberas
Tree to 20 m tall; lowland forest; widespread.

28.3 Chisocheton tomentosus (Roxb.) Mabb. Pasak Tree to 20 m tall; lowland and hill forest; widespread.

28.4 Sandoricum koetjape (Burm.f.) Merr. Sentul Tree to 30 m tall; lowland and hill forest, and more common near the shores; often cultivated in the villages for its edible fruits, widespread.

29.0 Menispermaceae

29.1 Fibraurea tinctoria Lour. Large liana to 20 m long; lowland and hill forest margins; widespread and common.

30.0 Moraceae

30.1 Artocarpus dadah Miq.
Pudu
Tree to 20 m tall; lowland and hill forest; throughout.

30.2 Artocarpus elasticus Reinw. ex Blume Terap Nasi Tree to 20 m tall; lowland and hill forest; throughout.

30.3 Artocarpus integer (Thunb.) Merr. var. silvestris Corner
Cempedak
Tree to 20 m tall; lowland to montane forest; widespread.

30.4 Artocarpus lanceifolius Roxb. Keledang Tree to 30 m tall; lowland and hill forest; widespread.

30.5 Streblus elongatus (Miq.) Corner Tempinis Tree to 20 m tall; lowland forest; widespread.

31.0 Myristicaceae

31.1 Cymnancranthera farquhariana (Hook.f. & Thomson) Ward. var. eugeniifolia (A.DC.) R.T.A. Schouten Penarahan

Tree to 20 m tall; lowland and hill forest to 1300 m; widespread.

31.2 Horsfieldia fulva (King) Warb.
Penarahan
Tree to 20 m tall; lowland forest; quite widespread.

31.3 Horsfieldia irya (Gaertn.) Warb. Penarahan Tree to 20 m tall; lowland forest; widespread.

31.4a Horsfieldia polyspherula (Hook.f.) J. Sinclair var. polyspherula Penarahan Tree to 30 m tall; lowland forest; widespread.

I. FARIDAH HANUM, A.Z. IBRAHIM, SHAMSUL KHAMIS, M. NAZRE, P. LEPUN, G. RUSEA, J. J. LAJUNI & A. LATIFF

31.4b Horsfieldia polyspherula (Hook.f.) J. Sinclair var. sumatrana (Miq.) W.J. de Wilde Penarahan

Tree to 30 m tall; lowland forest; widespread.

31.5 Horsfieldia ridleyana (King) Warb.
Penarahan
Tree to 20 m tall; lowland forest on poor soils; widespread.

31.6 Horsfieldia sucosa (King) Warb. Penarahan Tree to 20 m tall; lowland forest; widespread.

31.7 Knema curtisii (King) Warb. var. curtisii
Penarahan Daun Kecil
Tree to 10 m tall; lowland forest;
widespread.

31.8 Knema furfuracea (Hook.f. & Thomson) Warb. Penarahan Arang Tree to 20 m tall; lowland forest; widespread.

31.9 Knema glauca (Blume) Warb. Penarahan Tree to 20 m tall; lowland forest; quite widespread.

31.10 Knema hookeriana (Wall. ex Hook.f. & Thomson) Warb.
Penarahan
Tree to 20 m tall; lowland and hill forest; widespread.

31.11 Knema intermedia (Blume) Warb.

Penarahan

Tree to 10 m tall; lowland forest; widespread.

31.12 Knema kunstleri (King) Warb.

Penarahan

Tree to 10 m tall; lowland and hill forest on poor soils; widespread.

31.13 Knema latericia Elmer ssp. ridleyi (Gand.)
W.J. de Wilde
Penarahan
Tree to 10 m tall; lowland forest; quite
widespread.

31.14 Knema laurina (Blume) Warb. var. laurina Penarahan Small tree; lowland forest; widespread.

31.15 Knema malayana Warb.

Penarahan

Tree to 15 m tall; lowland forest; widespread.

31.16 Knema oblongifolia (King) Warb. Penarahan Tree to 10 m tall; endemic to Peninsular Malaysia and quite widespread.

31.17 Knema patentinervia (J. Sinclair) W.J. de Wilde Penarahan

Tree to 15 m tall; lowland forest; widespread.

31.18 Knema pseudolaurina W.J. de Wilde Penarahan Tree; lowland forest; widespread.

31.19 Knema scortechinii (King) J. Sinclair Penarahan Arang Tree to 20 m tall; lowland forest; widespread.

31.20 Knema stenophylla (Warb.) J. Sinclair Penarahan Tree to 10 m tall; lowland forest; widespread.

31.21 Myristica iners Blume
Penarahan
Tree to 20 m tall; lowland forest; common throughout.

31.22 Myristica malaccensis Hook.f. Penarahan Tree; lowlands; widespread.

32.0 Myrsinaceae

32.1 Ardisia crassa C.B. Clarke
Sem Babui
Small tree; lowland forest; a southern element of Peninsular Malaysia.

33.0 Myrtaceae

33.1 Rhodamnia cinerea Jack

Mempoyan

Tree to 15 m tall; quite common in the lowland forest, especially in the secondary forest near the sea; common throughout.

33.2 Syzygium borneense (Miq.) Miq. Kelat

Tree to 15 m tall; lowland forest.

33.3 Syzygium claviflorum (Roxb.) ex Wall. var. claviflorum Cowan & Cowan
Kelat

Medium sized tree; lowland and hill forest; widespread.

33.4 Syzygium politum (King) I. M. Turner
Kelat Merah
Shrub or small tree sometimes to 20 m
tall; lowland and hill forest; endemic to
Peninsular Malaysia and widespread.

33.5 Syzygium pseudocrenulatum (M.R. Hend.)
I.M. Turner
Kelat

Stilt-rooted tree to 20 m tall; lowland

- forest; endemic to Peninsular Malaysia but widespread.
- 33.6 Syzygium pyrifolium (Blume) D.C. Kelat Tree to 15 m tall; lowlands; widespread.
- 33.7 Syzygium rugosum Korth. var. rugosum Kelat Tree to 20 m tall; lowland and hill forest; widespread.
- 33.8 Syzygium syzygioides (Miq.) Merr. & L.M. Perry Kelat Tree to 20 m tall; lowlands, often coastal; common throughout.
- 34.0 Ochnaceae
- 34.1 Brackenridgea hookeri (Planch.) A.Gray Tree to 20 m tall; lowland and hill forest to 1000 m; throughout.
- 34.2 Campylospermum serratum (Gaertn.) Bittrich & M.C.E. Amaral
 Mata Ketam
 Tree to 20 m tall; lowland and hill forest to 1000 m; common near the sea; throughout.
- 35.0 Olacaceae
- 35.1 Ochanostachys amentacea Mast. Petaling Tree to 20 m tall; lowland and hill forest to 900 m; widespread.
- 35.2 Scorodocarpus borneensis (Baill.) Becc. Bawang Hutan Tree reaching to 30 m tall; its bark smells of garlic; lowland forest; widespread.
- 35.3 Strombosia ceylanica Gardner Kamap Tree to 20 m tall; lowland forest; widespread.
- 35.4 Strombosia javanica Blume
 Dedali
 Tree to 20 m tall; lowland forest;
 widespread.
- 36.0 Oxalidaceae
- 36.1 Sarcotheca griffithii (Planch. ex Hook.f.) Hallier f. Belimbing Pipit Tree to 20 m tall; lowland forest; widespread.
- 36.2 Sarcotheca monophylla (Planch. ex Hook.f.)
 Hallier f.
 Pupoi
 Tree to 20 m tall; lowland forest; endemic and widespread.
- 37.0 Pandaceae

- 37.1 Galearia fulva (Tul.) Miq. Small tree; lowland and hill forest to 690; throughout.
- 38.0 Polygalaceae
- 38.1 Xanthophyllum affine Korth. ex Miq. Minyak Beruk Tree to 20 m tall; usually smaller; lowlands and mountains; widespread.
- 38.2 Xanthophyllum amoenum Chodat Minyak Beruk Tree to 30 m tall; lowland and hill forest; widespread.
- 38.3 Xanthophyllum eurhynchum Miq. ssp. maingayi (Hook.f. ex A.W. Benn.) Meijden Minyak Beruk
 Shrub or tree to 20 m tall; lowland to mountains, forest understory; widespread.
- 38.4 Xanthophyllum griffithii Hook.f. ex A.W. Benn ssp. erectum Meijden Minyak Beruk
- 38.5 Xanthophyllum stipitatum A.W. Benn. Minyak Beruk Tree to 30 m tall; lowland and hill forest, usually on ridges; widespread.
- 38.6 Xanthophyllum vitellinum (Blume) Dietr. Minyak Beruk Tree to 30 m tall; lowland to lower montane forest; widespread.
- 39.0 Rhizophoraceae
- 39.1 Carallia eugenioidea King
 Meransi Mata Keli
 Shrub or small tree to 20 m tall; montane
 forests above 1200 m; previously not
 known from Selangor.
- 39.2 Pellacalyx axillaris Korth.

 Membuloh

 Tree to 20 m tall; damp or wet lowland or hill forest; widespread.
- 39.3 Pellacalyx saccardianus Scort.

 Membuluh

 Tree to 20 m tall; lowland and hill forest to 900 m; widespread; endemic to Peninsular Malaysia.
- 40.0 Rosaceae
- 40.1 Prunus arborea (Blume) Kalkman var.
 arborea
 Pijat
 Tree to 20 m tall; lowland to lower montane forest at 1300 m; widespread.
- 41.0 Rubiaceae
- 41.1 Acranthera pulchella (Ridley) K.M. Wong Shrub; lower montane forest; endemic and previously known from Perak and Pahang.

I. FARIDAH HANUM, A.Z. IBRAHIM, SHAMSUL KHAMIS, M. NAZRE, P. LEPUN, G. RUSEA, J. J. LAJUNI & A. LATIFF

41.2 Aidia densiflora (Wall.) Masam. Mentiong Small tree to 15 m tall; lowland to montane forest; throughout.

41.3 Diplospora malaccensis Hook.f. Kopi Hutan Tree to 15 m tall; lowland to montane forest at 1500 m; throughout.

41.4 Ixora javanica (Blume) DC. var. retinervia
Corner
Shrub or small tree to 5 m tall; lowland
and hill forest to 1000 m; widespread; an
endemic variety.

41.5 Nauclea officinalis (Pierre ex Pit.) Merr. & Chun Mengkal Tree to 20 m tall; lowland and hill forest; throughout.

41.6 Pertusadina eurhyncha (Miq.) Ridsdale Latticed tree to 20 m tall; lowland and hill forest to 400 m; scattered.

41.7 Porterandia anisophyllea (Jack ex Roxb.)
Ridley
Tinjau Belukar
Tree to 10 m tall; lowland and hill forest;
widespread.

41.8 Psydrax maingayi (Hook.f.) Bridson Tree to 15 m tall; lowland to lower montane forest; endemic to Peninsular Malaysia and widespread.

41.9 Psydrax nitidum (Craib) K.M. Wong Mentulang Small tree to 5 m tall; lowland forest including that on limestone hill forest at Pulau Langkawi.

41.10 Timonius compressicaulis (Miq.) Boerl.

Shrub or small tree to 5 m tall; normally found on sandy and rocky shores; its occurrence in the Ayer Hitam FR is botanically noteworthy.

41.11 Timonius wallichianus (Korth.) Valeton Timun Tree to 5 m tall; lowland forests, common

in secondary vegetation; widespread.
41.12 Urophyllum glabrum Wall.
Shrub or small tree to 5 m tall; lowland to lower montane forest at 1000 m; throughout.

42.0 Rutaceae

42.1 Glycosmis chlorosperma Spreng var. chlorosperma Shrub; lowland to montane forest; widespread. 42.2 Maclurodendron porteri (Hook.f.) T.G.
Hartley
Merlimau
Tree to 20 m tall; lowland to lower
montane forest; throughout.

42.3 Melicope glabra (Blume) T.G Hartley Pepauh Tree to 20 m tall; lowland forest; widespread.

43.0 Sapotaceae

43.1 Madhuca decipiens J. Sinclair
Nyatoh
Tree to 20 m tall; lowland forest, previously known from Johore.

43.2 Madhuca malaccensis (C.B. Clarke) H.J. Lam. Nyatoh Tree to 20 m tall; lowland forest;

widespread.

Sinclair
Nyatoh
Tree to 15 m tall; lowland forest; endemic to the central part of Peninsular Malaysia, especially Selangor.

43.3 Madhuca selangorica (King & Gamble) J.

43.4 Madhuca utilis (Ridley) H.J. Lam
Bitis
Tree to 20 m tall; lowland forest; widespread.

43.5 Palaquium gutta (Hook.f.) Baill.
 Nyatoh Taban Merah
 Tree to 20 m tall; lowland and hill forest; widespread.

43.6 Palaquium rostratum (Miq.) Burck Nyatoh Sidang Tree to 30 m tall; lowland to montane forest; widespread.

43.7 Payena maingayi C.B. Clarke Nyatoh Durian Tree to 30 m tall; lowland forest; endemic to Peninsular Malaysia and widespread.

43.8 Pouteria malaccensis (C.B. Clarke) Baehni Nyatoh Nangka Kuning Tree to 30 m tall; lowland to lower montane forest; throughout.

44.0 Simaroubaceae

44.1 Eurycoma longifolia Jack Tongkat Ali Tree to 5 m tall; lowlands and hills; throughout.

44.2 Eurycoma apiculata Benn. Tongkat Ali Tree to 5 m tall; usually in the mountains; about 1200 m; widespread.

45.0 Sterculiaceae

- 45.1 Pterygota alata (Roxb.) R. Br. Tree to 30 m tall; lowland forests near rivers; widespread.
- 45.2 Scaphium longiflorum Ridley
 Kembang Semangkuk Jantung
 Tree to 30 m tall; swampy lowland forest;
 endemic and widespread.
- 45.3 Sterculia parvifolia Wall. ex R.Br. Kelumpang Small tree to 10 m tall; hill forest; quite widespread.

46.0 Theaceae

- 46.1 Gordonia maingayi Dyer Kadeng Tree to 15 m tall; lowland to montane forest at 1600 m; endemic to Peninsular Malaysia and widespread.
- 46.2 Gordonia scortechinii King
 Pagar anak
 Tree; lowland forest; endemic and
 previously known from Perak and Pahang,
 hence it is a new record for Selangor.
- 46.3 Ternstroemia bancana Miq. Tree to 20 m tall; lowland forest to 500 m; widespread.

47.0 Thymelaeaceae

- 47.1 Aquilaria malaccensis Lam. Karas Tree to 30 m tall; lowland and hill forest to 750 m; widespread.
- 47.2 Gonystylus affinis Radlk. Ramin Tree to 30 m tall; lowland forest to 330 m; widespread.
- 47.3 Gonystylus bancanus (Miq.) Kurz. Ramin Dara Elok Tree to 20 m tall; more common in the lowland peat swamp forest.
- 47.4 Gonystylus maingayi Hook.f. Ramin Tree to 30 m tall; lowland forest; wide-spread.

48.0 Tiliaceae

- 48.1 Microcos antidesmifolia (King) Burret
 Chenderai
 Tree to 10 m tall; lowland forest, often
 near rivers; widespread.
- 48.2 Microcos lanceolata (Miq.) Burret
 Damak-Damak
 Shrub or small tree; lowland forest; mostly
 found in the west coast states.

49.0 Trigoniaceae

49.1 Trigoniastrum hypoleucum Miq. Marajali Tree to 20 m tall; lowland forest; widespread.

50.0 Ulmaceae

- 50.1 Gironniera nervosa Planch. Hampas Tebu Tree to 35 m tall, usually smaller; lowland forest below 500 m; widespread.
- 50.2 Gironniera parvifolia Planch. Hampas Tebu Licin Tree to 20 m tall; lowland and hill forest to 900 m; widespread.
- 50.3 Trema cannabina Lour.

 Shrub or small tree to 10 m tall; secondary forest to 1000 m; throughout.
- 50.4 Trema orientalis (L.) Blume

 Mengkirai

 Tree to 5 m tall; lowlands and hills.

51.0 Verbenaceae

- 51.1 Vitex gamosepala Griff. Leban Tree to 10 m tall; lowland and hill forest to 1200 m; throughout.
- 51.2 Vitex pinnata L.

 Leban

 Tree to 20 m tall; disturbed forest.

Angiosperms - Monocotyledons

In this scientific expedition for unknown reasons not much attention was given to collecting and observing the monocotyledons.

52.0 Gramineae

- 52.1 Centotheca lappacea (L.) Desv.

 Rosette-forming herb to 1 m tall; shady places to 1500m; widespread.
- 52.2 Lophatherum gracile Brongn. Herb to 1 m tall often forming loose rosette; openings in forest to 1650 m; widespread.
- 52.3 Panicum trigonum Retz.

 Grass herb; common.

53.0 Marantaceae

53.1 Stachyphyrnium griffithii (Baker) K. Schum. Herb; lowland forest; previously known from Perak, Pahang and southward; endemic.

54.0 Palmae

54.1 Licuala sp. (AZ 6743)

DISCUSSION

The Ayer Hitam FR is a logged-over lowland dipterocarp forest which is fast recovering towards its climax. It is obvious from the above checklist that it is preliminary because it was based on observation and collection during a brief expedition and it must be taken together with other similar efforts taken by the researchers from the Faculty of Forestry, Universiti Putra Malaysia (Faridah Hanum 1999). In the above study a total of 430 species in 203 genera and 72 families were accounted whereas in this checklist only 262 species (ca. 60.9%) belonging to 142 genera (70%) and 56 families (77.8%) were enumerated. It is obvious that when the above list is compared with the present one the common taxa was very high, implying that collections were done on the same taxa, and most likely in the similar habitats. In the present checklist the following families are not represented at all: Burseraceae, Piperaceae, Zingiberaceae, Sapindaceae, Compositae, Dioscoreaceae, Proteaceae, Araliaceae, Crypteroniaceae, Opiliaceae, Sonneratiaceae, Vitaceae, Leeaceae, Solanaceae, Cyperaceae and Orchidaceae.

In the current checklist there are a total of 56 families, 54 are angiosperms and two are gymnosperms, some are represented by a species while others are quite largely represented by more than five species. The size of the 10 largest families is given, with Myrtaceae as being the largest containing a total of 22 species in four genera (Table 1). The Dipterocarpaceae, Guttiferae and Myristicaceae are represented by smaller number of genera but many species. The other large families such as Euphorbiaceae and Rubiaceae both are represented by larger number of genera and species. In many similar studies, the families such as Euphorbiaceae, Annonaceae and Rubiaceae which are always dominant in lowland dipterocarp forests present in large number in this logged over forest. The genera Macaranga and Mallotus (Euphorbiaceae) contain many pioneer species of the disturbed

With respect to the size of genera, Knema (Myristicaceae) a lowland forest dweller is the largest genus containing a total of 13 species. This is followed by Memecylon (Melastomataceae) with 9 species and by Syzygium (Myrtaceae) and Diospyros (Ebenaceae) each containing 7 species (Table 2). All these genera are common

TABLE 1
The size of 10 largest families in Ayer Hitam FR

Family	No. of genera	No. of species
Myrtaceae	4	22
Euphorbiaceae	15	21
Dipterocarpaceae	5	17
Annonaceae	7	14
Leguminosae	9	13
Guttiferae	4	13
Rubiaceae	10	12
Myristicaceae	2	11
Anacardiaceae	6	8
Ebenaceae	1	7

components of lowland dipterocarp forest in Peninsular Malaysia, and their occurrence in the Ayer Hitam FR is highly expected. However, Syzygium is also common in beach forest (Tami 1996) and hill dipterocarp forest (Shamsul 2001). It is worth noting that Shorea and Dipterocarpus (Dipterocarpaceae) are still present in moderate frequencies within the forest, although logging had taken place in the last 60 years or so. It is fair to assume that the trees belonging to these timber genera are remnants of the past logging operations or they were purposely left then as they did not attain their cutting limits. The other comparatively large genera are Elaeocarpus (Elaeocarpaceae), Calophyllum and Garcinia (Guttiferae).

TABLE 2
The size of 10 largest genera in Ayer Hitam FR

Genus	No. of species	
Knema	13	
Memecylon	9	
Syzygium	7	
Diospyros	7	
Xanthophyllum	6	
Shorea	6	
Vatica	5	
Elaeocarpus	5	
Calophyllum	5	
Garcinia	5	

Patterns of Plant Distribution in Ayer Hitam FR

The species composition in Ayer Hitam FR is interesting from the botanical point of view. By far the most predominant are the elements of lowland dipterocarp forests but as the forest has been logged and silvicultural treatments had been carried out, some pioneer species and

introduced species are observed. Among the introduced species include *Podocarpus nerrifolius* and weed species such as *Asystasia gangetica*, *Eupatorium odoratum* and *Mikania micrantha*.

Introduced Species

It seems only *Podocarpus nerrifolius* is the only introduced species observed in the Ayer Hitam FR. Others are weedy species.

Peninsular Malaysian Endemics

In Peninsular Malaysia there are a total of 749 endemic tree species and the number of nontree endemic species is not known. In Ayer Hitam FR there are 20 endemic species, viz. Alphonsea lucida, Popowia fusca, Stachyphyrnium griffithii, Gordonia maingayi, G. scortechnii, Scaphium longiflorum, Diospyros adenophora, D. argentea, Garcinia burkillii, Vatica cuspidata, Alseodaphne foxiana, Memecylon floridum, M. wallichianum, Knema oblongifolia, Syzygium politum, Pellacalyx saccardianus, Acranthera pulchella, Psydrax maingayi, Madhuca selangorica and Payena maingayi. Most of these have a wide distribution except Acranthera pulchella and Madhuca selangorica which seem to be found in Selangor.

Rare Peninsular Malaysia Taxa

There are species which are known from very few collection records in Peninsular Malaysia and they are known to occur in Ayer Hitam FR. These include Ptychopyxis costata var. costata, Calophyllum alboramulum, Cratoxylon sumatranum, Madhuca decipiens, Beilschmeidia glabra and Acranthera pulchella. This directly proves that Ayer Hitam FR is one of the refugia habitats for these taxa and hence conservation of this forest is deemed more important. Similar phenomenon has been shown by Mat-Salleh (1999) for Bangi FR at Universiti Kebangsaan Malaysia.

Malaysian Montane Elements

These are taxa which are known to occur on the mountains of Peninsular Malaysia and are observed and collected in the lowland forest of Ayer Hitam FR. These include Elaeocarpus pseudopaniculatus and Exbucklandia populnea. These taxa have proved that they could adapt to the microclimate of the lowlands.

Southern Peninsular Malaysian Elements

Those taxa which are known to occur south of Selangor, i.e. found in Negeri Sembilan, Malacca and Johore are termed the floristic elements of the south Peninsular Malaysia. Here, Selangor is taken as the mid-point between the south and north of peninsula. There are a few species which showed this pattern of distribution including Parinari elmerii, Terminalia foetidissima and Ardisia crassa.

Northern Peninsular Malaysian Elements

Conversely, all those taxa which are found north of Selangor, i.e. in Perak, Penang, Kedah and Perlis are termed as northern floristic elements. There are two species which showed this pattern of distribution including Alphonsea curtisii and Terminalia calamansanai.

ACKNOWLEDGEMENT

The authors would like to thank the Faculty of Forestry, Universiti Putra Malaysia for the invitation to participate in the Scientific Expedition of Ayer Hitam FR. The participation of the researchers and the publication of this report is supported by IRPA Grants 09-02-02-0072 and 08-02-04-0089 to which the authors are grateful.

REFERENCES

FARIDAH HANUM, I. 1999. Plant diversity and conservation value of Ayer Hitam Forest Reserve, Puchong, Peninsular Malaysia. Pertanika Journal of Tropical Agricultural Science 22(2): 73-83.

Faridah Hanum, I. and Nurulhuda Hamzah. 1999.
The use of medicinal plant species by the Temuan tribe of Ayer Hitam Forest Reserve, Puchong, Peninsular Malaysia. Pertanika Journal of Tropical Agricultural Science 22(2): 85-94.

MAT-SALLEH, K. 1999. The role and function of Universiti Kebangsaan Malaysia Permanent Forest Reserve in research and education. Pertanika Journal of Tropical Agriculture Science 22(2): 185-198.

Mohamad Zakaria and Abdul Rahim. 1999. Bird species composition in Ayer Hitam Forest Reserve, Puchong, Selangor. Pertanika Journal of Tropical Agricultural Science 22(2): 95-104.

Mohamad Zakaria and Rahmat Topani. 1999. Abundance of primate in Ayer Hitam Forest Reserve, Puchong, Selangor. *Pertanika*

I. FARIDAH HANUM, A.Z. IBRAHIM, SHAMSUL KHAMIS, M. NAZRE, P. LEPUN, G. RUSEA, J. J. LAJUNI & A. LATIFF

- Journal of Tropical Agricultural Science 22(2): 105-110.
- Shamsul Kamis. 2001. Suatu kajian kepelbagaian pokok, biojisim dan nilai ekonomi dalam plot 2-ha di Bukit Fraser, Pahang. MSc Thesis, Faculty of Science and Technology, Universiti Kebangsaan Malaysia (unpublished)
- TAMI, R. 1996. Penilaian ekologi dan pemuliharaan flora Hutan Simpan Cape Rachado, Tanjung Tuan, Melaka. BSc Hons. Thesis, Jabatan Botani, Universiti Kebangsaan Malaysia (unpublished)
- Turner, I.M. 1995. A catalogue of the vascular plants of Malaya. The Garden's Bulletin Singapore 47(1 & 2): 1-757.